

naročnik:	PNZ d.o.o.	oprema	DP-030 (SUNDA)	X:	43470,21
objekt:	Odlagališče izkopnih viškov	bat	30,0 kg, 0,2 m	Y:	397796,71
preiskava:	DU&BP	drogovje	Φ=22mm, 3kg/m	Z:	252,60
obdelal:	B.Praznik, u.d.i.geol. IZS RG0138	konica	10cm ² /60°	datum:	21.07.2015

globina	N10	qd	Nspt	γ [kN/m ³]	σ [kN/m ²]	Φ [°]	qu [kPa]	Cu [kPa]	Ed [Mpa]	USCS
-0,10	6,00	3,21	8,34	20,00	2,00	29,53	50-100	25-50	4,91	GM
-0,20	11,00	5,89	15,28	20,00	4,00	31,48	100-200	50-100	8,99	GM
-0,30	15,00	8,03	20,84	20,00	6,00	33,04	100-200	50-100	12,26	GM
-0,40	16,00	8,56	22,23	20,00	8,00	33,42	200-400	100-200	13,08	GM
-0,50	26,00	13,91	36,12	20,00	10,00	37,31	200-400	100-200	21,26	GM
-0,60	65,00	34,78	90,31	20,00	12,00	52,49	>400	>200	53,14	GM

