

naročnik:	PNZ d.o.o.	oprema	DP-030 (SUNDA)	X:	37096,14
objekt:	Deponije izkopnih viškov	bat	30,0 kg, 0,2 m	Y:	394826,11
preiskava:	DU&BP	drogovje	Φ=22mm, 3kg/m	Z:	23,10
obdelal:	B.Praznik, u.d.i.geol. IZS RG0138	konica	10cm ² /60°	datum:	21.07.2015

globina	N10	qd	Nspt	γ [kN/m ³]	σ [kN/m ²]	Φ [°]	qu [kPa]	Cu [kPa]	Ed [Mpa]	USCS
-0,10	21,00	11,24	29,18	20,00	2,00	35,37	200-400	100-200	17,17	GM
-0,20	37,00	19,80	51,41	20,00	4,00	41,59	>400	>200	30,25	GM
-0,30	33,00	17,66	45,85	20,00	6,00	40,04	>400	>200	26,98	GM
-0,40	33,00	17,66	45,85	20,00	8,00	40,04	>400	>200	26,98	GM
-0,50	34,00	18,19	47,24	20,00	10,00	40,43	>400	>200	27,80	GM
-0,60	27,00	14,45	37,51	20,00	12,00	37,70	200-400	100-200	22,07	GM
-0,70	24,00	12,84	33,34	20,00	14,00	36,54	200-400	100-200	19,62	GM
-0,80	22,00	11,77	30,57	20,00	16,00	35,76	200-400	100-200	17,99	GM
-0,90	21,00	11,24	29,18	20,00	18,00	35,37	200-400	100-200	17,17	GM
-1,00	18,00	8,83	26,04	20,00	20,00	34,49	200-400	100-200	15,32	GM
-1,10	18,00	8,83	26,04	20,00	22,00	34,49	200-400	100-200	15,32	GM
-1,20	15,00	7,36	21,70	18,00	23,80	33,28	100-200	50-100	25,54	ML
-1,30	8,00	3,92	11,57	18,00	25,60	30,44	50-100	25-50	13,62	ML
-1,40	9,00	4,41	13,02	18,00	27,40	30,85	100-200	50-100	15,32	ML
-1,50	7,00	3,43	10,13	18,00	29,20	30,04	50-100	25-50	11,92	ML
-1,60	7,00	3,43	10,13	18,00	31,00	30,04	50-100	25-50	11,92	ML
-1,70	7,00	3,43	10,13	18,00	32,80	30,04	50-100	25-50	11,92	ML
-1,80	7,00	3,43	10,13	18,00	34,60	30,04	50-100	25-50	11,92	ML
-1,90	7,00	3,43	10,13	18,00	36,40	30,04	50-100	25-50	11,92	ML
-2,00	8,00	3,62	11,96	18,00	38,20	30,55	50-100	25-50	14,08	ML
-2,10	9,00	4,07	13,46	18,00	40,00	30,97	100-200	50-100	15,84	ML
-2,20	7,00	3,17	10,47	18,00	41,80	30,13	50-100	25-50	12,32	ML
-2,30	13,00	5,89	19,44	18,00	43,60	32,64	100-200	50-100	22,88	ML
-2,40	44,00	19,92	65,80	21,00	45,70	45,62	>400	>200	38,72	GM
-2,50	50,00	22,64	74,77	21,00	47,80	48,14	>400	>200	44,00	GM

