

naročnik:	PNZ d.o.o.	oprema	DP-030 (SUNDA)	X:	36949,50
objekt:	Deponije izkopnih viškov	bat	30,0 kg, 0,2 m	Y:	394938,12
preiskava:	DU&BP	drogovje	Φ=22mm, 3kg/m	Z:	17,40
obdelal:	B.Praznik, u.d.i.geol. IZS RG0138	konica	10cm²/60°	datum:	21.07.2015

globina	N10	qd	Nspt	γ [kN/m ³]	σ [kN/m ²]	Φ [°]	qu [kPa]	Cu [kPa]	Ed [Mpa]	USCS
-0,10	3,00	1,61	4,17	18,00	1,80	28,37	0-50	0-25	4,91	ML
-0,20	7,00	3,75	9,73	18,00	3,60	29,92	50-100	25-50	11,45	ML
-0,30	7,00	3,75	9,73	18,00	5,40	29,92	50-100	25-50	11,45	ML
-0,40	6,00	3,21	8,34	18,00	7,20	29,53	50-100	25-50	9,81	ML
-0,50	7,00	3,75	9,73	18,00	9,00	29,92	50-100	25-50	11,45	ML
-0,60	5,00	2,68	6,95	18,00	10,80	29,15	50-100	25-50	8,18	ML
-0,70	5,00	2,68	6,95	18,00	12,60	29,15	50-100	25-50	8,18	ML
-0,80	5,00	2,68	6,95	18,00	14,40	29,15	50-100	25-50	8,18	ML
-0,90	4,00	2,14	5,56	18,00	16,20	28,76	0-50	0-25	6,54	ML
-1,00	5,00	2,45	7,23	18,00	18,00	29,23	50-100	25-50	8,51	ML
-1,10	4,00	1,96	5,79	18,00	19,80	28,82	0-50	0-25	6,81	ML
-1,20	5,00	2,45	7,23	18,00	21,60	29,23	50-100	25-50	8,51	ML
-1,30	5,00	2,45	7,23	18,00	23,40	29,23	50-100	25-50	8,51	ML
-1,40	6,00	2,94	8,68	18,00	25,20	29,63	50-100	25-50	10,22	ML
-1,50	7,00	3,43	10,13	18,00	27,00	30,04	50-100	25-50	11,92	ML
-1,60	7,00	3,43	10,13	18,00	28,80	30,04	50-100	25-50	11,92	ML
-1,70	10,00	4,91	14,47	18,00	30,60	31,25	100-200	50-100	17,03	ML
-1,80	10,00	4,91	14,47	18,00	32,40	31,25	100-200	50-100	17,03	ML
-1,90	10,00	4,91	14,47	18,00	34,20	31,25	100-200	50-100	17,03	ML
-2,00	53,00	24,00	79,26	21,00	36,30	49,39	>400	>200	46,64	GM

