

naročnik:	PNZ d.o.o.	oprema	DP-030 (SUNDA)	Šared nasadi - DPM-3	X:	40679,00
objekt :	Odlagališče izkopenih viškov	bat	30,0 kg, 0,2 m		Y:	397226,00
preiskava:	MK&BP&AK	drogovje	Φ=22mm, 3kg/m		Z:	61,70
obdelal :	B.Praznik, u.d.i.geol. IZS RG0138	konica	10cm ² /60 °		datum:	21.9.2015

globina	N10	qd	Nspt	γ [kN/m ³]	σ [kN/m ²]	Φ [°]	Ed [Mpa]	USCS
-0,10	11,00	5,89	15,28	20,00	2,00	31,48	8,99	GM
-0,20	17,00	9,10	23,62	20,00	4,00	33,81	13,90	GM
-0,30	25,00	13,38	34,73	20,00	6,00	36,93	20,44	GM
-0,40	23,00	12,31	31,95	20,00	8,00	36,15	18,80	GM
-0,50	23,00	12,31	31,95	20,00	10,00	36,15	18,80	GM
-0,60	17,00	9,10	23,62	20,00	12,00	33,81	13,90	GM
-0,70	16,00	8,56	22,23	20,00	14,00	33,42	13,08	GM
-0,80	13,00	6,96	18,06	20,00	16,00	32,26	10,63	GM
-0,90	10,00	5,35	13,89	20,00	18,00	31,09	8,18	GM
-1,00	10,00	4,91	14,47	20,00	20,00	31,25	8,51	GM
-1,10	8,00	3,92	11,57	20,00	22,00	30,44	6,81	GM
-1,20	8,00	3,92	11,57	20,00	24,00	30,44	6,81	GM
-1,30	6,00	2,94	8,68	20,00	26,00	29,63	5,11	GM
-1,40	7,00	3,43	10,13	20,00	28,00	30,04	5,96	GM
-1,50	8,00	3,92	11,57	20,00	30,00	30,44	6,81	GM
-1,60	10,00	4,91	14,47	20,00	32,00	31,25	8,51	GM
-1,70	9,00	4,41	13,02	20,00	34,00	30,85	7,66	GM
-1,80	8,00	3,92	11,57	20,00	36,00	30,44	6,81	GM
-1,90	7,00	3,43	10,13	20,00	38,00	30,04	5,96	GM
-2,00	12,00	5,43	17,95	20,00	40,00	32,22	10,56	GM
-2,10	13,00	5,89	19,44	20,00	42,00	32,64	11,44	GM
-2,20	55,00	24,90	82,25	23,00	44,30	50,23	48,40	lapor

